

- SNOW, R. 1963. Alcoholic hydrochloric acid-carmines as a stain for chromosomes in squash preparations. *Stain Technology* 38:9-13.
- SWOFFORD, D. L. and R. B. SELANDER. 1981. BIOSYS-1: a FORTRAN program for the comprehensive analysis of electrophoretic data in population genetics and systematics. *Journal of Heredity* 72:281-283.
- WAHL, H. A. 1940. Chromosome numbers and meiosis in the genus *Carex*. *American Journal of Botany* 27:458-470.
- WATERWAY, M. J. 1988. Systematic studies in *Carex* section *Hymenochlaenae* Drejer (Cyperaceae). Ph.D. Dissertation. Cornell University, Ithaca, NY.
- WATERWAY, M. J. 1990. Genetic differentiation and hybridization between *Carex gynodynamis* and *C. mendocinensis* (Cyperaceae) in California. *American Journal of Botany* 77:826-838.
- WATERWAY, M. J. 1994. Evidence for the hybrid origin of *Carex knieskernii* (Cyperaceae) with comments on hybridization in the genus *Carex*. *Canadian Journal of Botany* 72:860-871.
- WEEDEN, N. F. and L. D. GOTTLIEB. 1979. Distinguishing allozymes and isozymes of phospho-glucoisomerases by electrophoretic comparisons of pollen and somatic tissues. *Biochemical Genetics* 17:287-296.
- WEEDEN, N. F. and J. F. WENDEL. 1989. Genetics of plant isozymes. Pp. 46-72 in D. E. Soltis and P. S. Soltis (eds.), *Isozymes in plant biology*. Dioscorides Press, Portland, OR.
- WENDEL, J. F. and N. F. WEEDEN. 1989. Visualization and interpretation of plant isozymes. Pp. 5-45 in D. E. Soltis and P. S. Soltis (eds.), *Isozymes in plant biology*. Dioscorides Press, Portland, OR.
- WHITKUS, R. 1985. FORTRAN program for computing genetic statistics from allele frequency data. *Journal of Heredity* 76:142.
- WRIGHT, S. 1965. The interpretation of population structure by F-statistics with special regard to systems of mating. *Evolution* 19:395-420.

(Received 24 Jan 1995; accepted 13 Jun 1995)

---

## NOTEWORTHY COLLECTIONS

### BAJA CALIFORNIA SUR

*ACALYPHA OSTRYIFOLIA* Ridd. (Euphorbiaceae).—Baja California Sur, 15 km al E de La Paz, Presa "La Buena Mujer," 24°13'N, 110°15'W, 370 m, matorral sarcocaula, ladera, 13 Oct 1987, Domínguez 552 (RSA).

*Previous knowledge.* Eastern United States to Arizona through much of mainland México to Central America.

*Significance.* First record from the Baja California Peninsula. This species can be readily separated from the other Baja Californian *Acalypha* by the combination of an annual habit and deeply divided pistillate bracts.

—VICTOR W. STEINMANN, Rancho Santa Ana Botanic Garden, 1500 N College Ave, Claremont, CA 91711.